

2018 American Job Center of California (AJCC)

OPERATORS Request for Proposals

Q & A 6-11 – Via Email

Thursday, September 20, 2018

Q6: To avoid potential validity concerns later, EWDD should confirm whether the reference to “ADA” on the Exhibit VII Facility form should actually be “[ADAA](#),”[sic] which is the Americans with Disabilities Amendments Act of 2008 that clarifies the definition of a disability in the ADA of 1990. I have observed that federal agencies cite ADAA in their documents. If this is true, EWDD might state this correction in this Q&A or as an amendment rather than replace the form some proposers have already completed this late in the submission period.

A. Please note that this form relates to the facilities being “ADA” compliant and is not concerned with program compliance. The Department of Justice’s revised regulations for [Titles II](#) and [III](#) of the Americans with Disabilities Act of 1990 (ADA) were published in the Federal Register on September 15, 2010. These regulations adopted revised, enforceable accessibility standards called the **2010 ADA Standards for Accessible Design**, “2010 Standards.” In addition, the United States Access Board publishes the standards that apply to building and sites funded by the Federal government under Architectural Barriers Act (ABA) under the title, *Guide to the ADA Standards*. The check box in Exhibit VII uses the term, “[Does your current or proposed facility] Comply with Americans with Disabilities Act (ADA) requirements?” to align with these publication titles. Please note the following exhibit (Exhibit VII), is concerned with Certification Regarding Compliance with the Americans with Disabilities Act- Amendments Act of 2008 (ADAAA).

Q7: Does ELA-Boyle Heights facility meet ADA Compliance, EDD seismic, and all requirements outlined on section 3.8?

A. Yes.

Q8: Can agency propose other facility locations in ELA-Boyle Heights?

A. Yes. However, as stated on page 17 of the RFP, the City reserves the right to require any funded contractor to collocate with other City-funded agencies, locate in an area within the proposed Regional Planning Area that ensures maximum access for area residents, and/or to occupy a facility identified by the City.

Q9: Will City of LA cover start-up cost?

A. No. No additional funds will be provided for “start-up” costs.

Q10: Will the City of LA provide additional cost for facilities given the limited funding amounts and expectations?

A. All funding information can be found in section 2.8 of the RFP. Questions regarding any additional funds are beyond the scope of technical assistance and cannot be answered.

Q11: Does an agency need to resubmit Exhibit III or are the previous completed forms acceptable?

A. A complete proposal package is required. Please note, as stated in the response to Proposers' Conference Question #19, performance verification is only required for proposers not currently funded as a City of Los Angeles WorkSource or YouthSource Center, and must include the most recent performance results available. The City already has access to current WorkSource and YouthSource center operators' performance. Currently funded City of Los Angeles WorkSource and YouthSource Center operators may complete this Exhibit if they would like non-City of Los Angeles experience considered.